

Principales sources et références

Maladie d'Alzheimer et ApoE4 :

<https://blog.santelog.com/2012/05/22/maladie-dalzheimer-apoe4-le-variant-qui-sattaque-au-systeme-vasculaire-cerebral-nature/>

www.apoe4.info

Rosalind Fallaize et al, APOE genotype influences insulin resistance, apolipoprotein CII and CIII according to plasma fatty acid profile in the Metabolic Syndrome, *Sci Rep*, 2017, 7 : 6274

Arai Y et al, The Prevalence and Risk Factors of Dementia in Centenarians, *Brain Nerve*, 2017, 69 (7) : 771-780

www.saging.com/articles/quelle-survie-apres-le-diagnostic-initial-de-maladie-dalzheimer

Larson E et al, Survival after initial diagnosis of Alzheimer disease, *Ann Intern Med*, 2004, 140 : 501-509

Maladie d'Alzheimer et inflammation :

Barrientos RM et al, Neuroinflammation in the normal aging hippocampus, *Neuroscience*, 2015 Mar 12

D M de Oliveira et al, Brain rust : recent discoveries on the role of oxidative stress in neurodegenerative diseases, *Nutr Neurosci*, 2012 ,15 (3) : 94-102

Wang X et al, Selective neuronal vulnerability to oxidative stress in the brain, *Front Ag Neurosci*, 2010, 2 : 12

Power Foods for the Brain | Neal Barnard | TEDxBismarck : www.youtube.com/watch?v=v_ONFix_e4k

Susan J Torres et al, Dietary Patterns Are Associated with Cognition among Older People with Mild Cognitive Impairment, *Nutrients*, 2012, 4 (11) : 1542-1551

Grant WB, Using Multicountry Ecological and Observational Studies to Determine Dietary Risk

Factors for Alzheimer's Disease, *J Am Coll Nutr*, 2016, 35 (5) : 476-89

Perrone L et al, Observational and ecological studies of dietary advanced glycation end products in national diets and Alzheimer's disease incidence and prevalence, *J Alzheimers Dis*, 2015, 45 (3) : 965-79

WB Grant. Dietary links to Alzheimer's disease : 1999 Update. *J Alzheimers Dis*, 1999, 1 (4) : 197 – 201.

WB Grant, Trends in diet and Alzheimer's disease during the nutrition transition in Japan and developing countries, *J Alzheimers Dis*, 2014, 38 (3) : 611 – 620.

WB Grant, Dietary links to Alzheimer's disease, *Alz Dis Rev*, 1997, 2 : 42 – 55.

L White et al, Prevalence of dementia in older Japanese-American men in Hawaii : The Honolulu-Asia aging study, *JAMA*, 1996, 276 (12) : 955 – 960.

H C Hendrie et al, Incidence of dementia and Alzheimer disease in 2 communities : Yoruba residing in Ibadan, Nigeria, and African Americans residing in Indianapolis, Indiana. *JAMA*, 2001, 285 (6) : 739 – 747.

C P Ferri et al, Global prevalence of dementia : a Delphi consensus study. *Lancet*, 2006, 366 (9503) : 2112 – 2117.

K Y Chan et al, Epidemiology of Alzheimer's disease and other forms of dementia in China, 1990-2010: a systematic review and analysis, *Lancet*, 2013, 381(9882) : 2016 – 2023.

R P Clarke, Incidence of dementia and Alzheimer disease in Nigeria and the United States, *JAMA*, 2001, 285 (19) : 2448 – 2449.

M A Smith et al, Diet and oxidative stress : a novel synthesis of epidemiological data on Alzheimer's disease, *J Alzheimers Dis*, 1999, 1(4 - 5) : 203 – 206.

Giem P et al, The incidence of dementia and intake of animal products : preliminary findings from the Adventist Health Study. *Neuroepidemiology*, 1993, 12 (1) : 28-36.

Chandra V et al, Prevalence of Alzheimer's disease and other dementias in rural India: the Indo-US study, Neurology, 1998, 51 (4) : 1000-8.

Morris MC et al, Dietary fat intake and 6-year cognitive change in an older biracial community population, Neurology, 2004, 62 (9) : 1573-9

H Braak et al, The pathological process underlying Alzheimer's disease in individuals under thirty, Acta Neuropathol, 2011, 121(2):171-81.

M C Morris et al, Dietary copper and high saturated and trans fat intakes associated with cognitive decline. Arch Neurol, 2006, 63 (8) : 1085-8.

B N Ramesh et al, Neuronutrition and Alzheimer's disease, J Alzheimers Dis, 2010, 19 (4) : 1123-39.

R Squitti et al, Longitudinal prognostic value of serum "free" copper in patients with Alzheimer disease, Neurology, 2009, 72 (1) : 50-5.

M Ventriglia et al, Copper in Alzheimer's disease: a meta-analysis of serum, plasma, and cerebrospinal fluid studies, J Alzheimers Dis, 2012, 30 (4) : 981-4.

M Loef, H Walach, Copper and iron in Alzheimer's disease : a systematic review and its dietary implications, Br J Nutr, 2012, 107 (1) : 7-19.

M A Lovell et al, Copper, iron and zinc in Alzheimer's disease senile plaques, J Neurol Sci, 1998, 158 (1) : 47-52.

L M Sayr et al, In situ oxidative catalysis by neurofibrillary tangles and senile plaques in Alzheimer's disease : a central role for bound transition metals, J Neurochem, 2000, 74 (1) : 270-9.

Y Manso et al, Copper modulation as a therapy for Alzheimer's disease ? Int J Alzheimers Dis, 2011, 2011: 370345.

L M Miller et al, Synchrotron-based infrared and X-ray imaging shows focalized accumulation of Cu and Zn co-localized with beta-amyloid deposits in Alzheimer's disease, J Struct Biol, 2006, 155 (1) : 30-7

R Squitt et al, D-penicillamine reduces serum oxidative stress in Alzheimer's disease patients, Eur J Clin Invest, 2002, 32 (1) : 51-9.

Yasumichi Arai et al, Inflammation, But Not Telomere Length, Predicts Successful Ageing at Extreme

Old Age : a Longitudinal Study of Semi-supercentenarians, EBioMedicine, 2015, 2 (10) : 1549-1558

Siresha Bathina et al, Brain-derived neurotrophic factor and its clinical implications, Arch Med Sci, 2015, 11 (6) : 1164-1178

Neeper SA et al, Exercise and brain neurotrophins, Nature, 1995, 373 : 109

Krabbe KS et al, Brain-derived neurotrophic factor (BDNF) and type 2 diabetes, Diabetologia, 2007, 50 : 431-8

He M et al, Decreased serum brain-derived neurotrophic factor in Chinese patients with type 2 diabetes mellitus. Acta Biochim Biophys Sin (Shanghai), 2014, 46 : 426-7

Zhen YF et al. Low BDNF is associated with cognitive deficits in patients with type 2 diabetes, Psychopharmacology (Berl), 2013, 227 : 93-100

Zhang XY et al. Low BDNF is associated with cognitive impairment in chronic patients with schizophrenia, Psychopharmacology (Berl), 2012, 222 : 277-84

Wang J et al, Is BDNF biological link between depression and type 2 diabetes mellitus ? Med Hypotheses, 2012, 79 : 255-8

Liens entre maladie d'Alzheimer et diabète :

Z Barrou et al, Diabète et cognition : existe-t-il un lien ? Psychol NeuroPsychiatr Vieil, 2008, 6 (3) : 189-98

Qiu WQ et al, Executive dysfunction in homebound older people with diabetes mellitus, J Am Geriatr Soc, 2006, 54 : 496-501

Manschot S et al, Brain magnetic resonance imaging correlates of impaired cognition in patients with type 2 diabetes, Diabetes, 2006, 55 : 1106-13

Van Harten B et al, Cognitive impairment and MRI correlates in the elderly patients with type 2 diabetes mellitus, Age Ageing, 2007, 36 : 164-70

Suzanne M de la Monte et al, Alzheimer's Disease Is Type 3 Diabetes—Evidence Reviewed, J Diabetes Sci Technol, 2008, 2 (6) : 1101-1113

de la Monte SM, Contributions of brain insulin resistance and deficiency in amyloid-related neurodegeneration in Alzheimer's disease, *Drugs*, 2012, 2 (1) : 49-66

Suzanne M de la Monte et al, Brain Insulin Resistance and Deficiency as Therapeutic Targets in Alzheimer's Disease, *Curr Alzheimer Res*, 2012, 9 (1) : 35-66

Suzanne M de la Monte et al, Brain metabolic dysfunction at the core of Alzheimer's disease, *Biochem Pharmacol*, 2014, 88 (4) : 548-559.

Chen Z et al, Decoding Alzheimer's disease from perturbed cerebral glucose metabolism : implications for diagnostic and therapeutic strategies, *Prog Neurobiol*, 2013, 108 : 21-43

Pasquier F et al, Diabetes mellitus and dementia, *Diabetes Metab*, 2006, 32 (1) : 403-414

Launer LJ, Diabetes and brain aging : epidemiologic evidence, *Curr Diab Rep*, 2005, 5 (1) : 59-63

Luchsinger JA et al, Cardiovascular risk factors and Alzheimer's disease, *Curr Atheroscler Rep*, 2004, 6 (4) : 261-266

Luchsinger JA et al, Relation of diabetes to mild cognitive impairment, *Arch Neurol*, 2007, 64 (4) : 570-575

Whitmer RA, Type 2 diabetes and risk of cognitive impairment and dementia, *Curr Neurol Neurosci Rep*, 2007, 7 (5) : 373-380

Ristow M, Neurodegenerative disorders associated with diabetes mellitus, *J Mol Med*, 2004, 82 (8) : 510-529

Bayer-Carter JL et al, Diet intervention and cerebrospinal fluid biomarkers in amnestic mild cognitive impairment, *Arch Neurol*, 2011, 68 (6) : 743-52

Rush University Medical Center. Sniffing out a new strategy against Alzheimer's disease, *ScienceDaily*, 24 March 2017

www.scientificamerican.com/article/sniffing-out-new-strategies-in-the-fight-against-alzheimers-disease/

Le stress comme facteur de risque de maladie d'Alzheimer :

Prull, M. W., Gabrieli, J. D. E., & Bunge, S. A. (2000). Age-related changes in memory: A cognitive neuroscience perspective. In F. I. M. Craik & T. A. Salthouse (eds.), *Handbook of Aging and Cognition* (2nd ed., pp. 91-153). Mahwah, NJ: Lawrence Erlbaum Associates.

Guerry M Peavy et al, The Influence of Chronic Stress on Dementia-Related Diagnostic Change in Older Adults, *Alzheimer Dis Assoc Disord*, 2012, 26 (3) : 260-266

Wilson RS et al, Chronic distress and incidence of mild cognitive impairment, *Neurology*, 2007, 68 (24): 2085-2092

Simard M et al, Psychological distress and risk for dementia, *Curr Psychiatry Rep*, 2009, 11 (1) : 41-47

Alberto Machado et al, Chronic stress as a risk factor for Alzheimer's Disease, *Rev Neurosci*, 2014, 25, 10.1515

https://www.researchgate.net/publication/265255543_Chronic_stress_as_a_risk_factor_for_Alzheimer%27s_disease

[www.utas.edu.au/health/la-test-news/fhs-news-items/2017/stress-a-key-factor-in-alzheimers-deterioration](http://www.utas.edu.au/health/latest-news/fhs-news-items/2017/stress-a-key-factor-in-alzheimers-deterioration)

Pietrzak RH et al, Amyloid- β , anxiety, and cognitive decline in preclinical Alzheimer disease: a multicenter, prospective cohort study, *JAMA Psychiatry*, 2015, 72 (3) : 284-91